

Scoreboard Specifications

Overall size: 9' (W) x 7'4 $\frac{1}{2}$ " (H) x 4" (D)

Approximate Weight: 239 lbs

Incoming Mains Power: (1) 120VAC (+/-10%) 1 Phase, 2 Wire, 60Hz / 5 Amps. Requires an earth ground connection.

Incoming Mains Power and Data Location: TOP of the Scoreboard

14" LED Digits for TIME, SCORE

10" LED Digits for PERIOD, TM FOULS, PLAYER FOULS

2" LED Arrows

8" White Vinyl Lettering for HOME, GUEST

4" White Vinyl Lettering for PERIOD, TM FOULS, PLAYER FOULS, MATCH, POINTS

3" White Vinyl Lettering for P, TO, B

All LED digits include the following:

- * Shatter Resistant Lexan cover
- * Conformal coating to protect from environmental conditions
- * Surface Mount Technology LEDs allowing for wider viewing angle

4056 Blakie Road, London, ON, N6L 1P7 Tel: (519) 652-5833 Fax: (519) 652-3795 Email: oes@oes-inc.com OES, INC. CLAIMS PROPERTY RIGHTS TO THE MATERIAL DISCLOSED HEREIN. THIS DRAWING INCLUDES UNPUBLISHED PROPRIETARY MATERIAL DEVELOPED BY OES, INC. AND AS OES ELECTRONIC SCOREBOARDS M5009BTXV SUCH IS NOT TO BE COPIED, REPRODUCED OR USED IN ANY WAY WITHOUT PRIOR WRITTEN AUTHORIZATION FROM OES, SIZE FILENAME INIT DRAWING DATE REV TOLERANCE INFORMATION Dimensions are in Inches THIRD ANGLE 7/1/20 PROJECTIONS В JSAGE Fractional ± 1/16"
Two Place Decimals ± 0.02"
Three Place Decimals ± 0.005"
Four Place Decimals ± 0.0005" **USE FOR REVIEW** SCALE NTS DRAWN BY PAGE 1 OF 1

AUTHOR DATE

7/1/2020

OES

REVISION

DESCRIPTION

INITIAL DESIGN