

Scoreboard Specifications

Overall size: 9' (W) x 7'4 $\frac{1}{2}$ " (H) x 4" (D) Approximate Weight: 242 lbs Incoming Mains Power: (1) 120VAC (+/-10%) 1 Phase, 2 Wire, 60Hz / 5 Amps. Requires an earth ground connection. Incoming Mains Power and Data Location: TOP of the Scoreboard

14" LED Digits for TIME, SCORE10" LED Digits for PERIOD, TM FOULS, PLAYER FOULS7" LED Digits for TOL2" LED Arrows

8" White Vinyl Lettering for HOME, GUEST 4" White Vinyl Lettering for PERIOD, TM FOULS, PLAYER FOULS, MATCH, POINTS 3" White Vinyl Lettering for P, TO, B, TOL

All LED digits include the following:

*

- * Shatter Resistant Lexan cover
- * Conformal coating to protect from environmental conditions
- * Surface Mount Technology LEDs allowing for wider viewing angle

 REVISION
 D

 A
 II

 NOTICE TO PERSON RECEIN TECHNICAL INFORMATION:
 D

 OES, INC. CLAIMS PROPERT DISCLOSED HEREIN. THIS D SUCH IS NOT TO BE COPIED WAY WITHOUT PRIOR WRIT INC.
 D

TOLERANCE INFORMATION Dimensions are in Inches Fractional ± 1/16" Two Place Decimals ± 0.02" Three Place Decimals ± 0.005" Four Place Decimals ± 0.005"

Angular ± 30'

DESCRIPTION						AUT	AUTHOR DATE		
NITIAL	DESIGN				0	ES 7/1/202		0	
VING THIS DRAWING AND TY RIGHTS TO THE MATERIAL DRAWING INCLUDES UNPUBLISHED EVELOPED BY OES, INC. AND AS D, REPRODUCED OR USED IN ANY TEN AUTHORIZATION FROM OES.		London Tel: (51 Inc. Fax: (52							
	THIRD ANGLE	SIZE	FILENAME M5009CTXV		INIT DRAWIN 7/1/20		G DATE	REV	
-	PROJECTIONS	В	USE FOR REVIEW					A	
5"		SCAL	e NTS	DRAWN BY	MLI		PAGE	1 OF 1	