

**Scoreboard Specifications**



Overall size: 4' (W) x 7'-4 1/2" (H) x 4" (D)  
Approximate Weight: 173 lbs  
Incoming Mains Power: (1) 120VAC (+/-10%) 1 Phase, 2 Wire, 60Hz / 15 Amps. Requires an earth ground connection.  
Incoming Mains Power and Data Location: TOP of the Scoreboard  
MAX Current Draw: 8.1 Amps

7" LED Digits for ALL

3" Electronic Team Captions of 12 CHARACTERS

- All LED digits include the following:
- \* Shatter Resistant Lexan cover
  - \* Conformal coating to protect from environmental conditions
  - \* Surface Mount Technology LEDs allowing for wider viewing angle

REVISION	DESCRIPTION	AUTHOR	DATE
A	INITIAL DESIGN	OES	7/13/2021

		 <div>4056 Blakie Road, London, ON, N6L 1P7 Tel: (519) 652-5833 Fax: (519) 652-3795 Email: oes@oes-inc.com</div>
<u>NOTICE TO PERSON RECEIVING THIS DRAWING AND TECHNICAL INFORMATION:</u>  OES, INC. CLAIMS PROPERTY RIGHTS TO THE MATERIAL DISCLOSED HEREIN. THIS DRAWING INCLUDES UNPUBLISHED PROPRIETARY MATERIAL DEVELOPED BY OES, INC. AND AS SUCH IS NOT TO BE COPIED, REPRODUCED OR USED IN ANY WAY WITHOUT PRIOR WRITTEN AUTHORIZATION FROM OES, INC.		DESCRIPTION <b>OES ELECTRONIC SCOREBOARDS M5004SICH</b>
TOLERANCE INFORMATION Dimensions are in Inches  Fractional $\pm 1/16"$ Two Place Decimals $\pm 0.02"$ Three Place Decimals $\pm 0.005"$ Four Place Decimals $\pm 0.0005"$ Angular $\pm 30^\circ$	THIRD ANGLE PROJECTIONS 	SIZE <b>A</b> FILENAME M5004SICH INIT DRAWING DATE 7/13/21 REV <b>A</b>
USAGE <b>USE FOR REVIEW</b>		
SCALE	NTS	DRAWN BY <b>CGTHOMPSON</b>
PAGE 1 OF 1		