

**Scoreboard Specifications**

Overall size: 14' (W) x 3'10" (H) x 4" (D)  
Approximate Weight: 210 lbs  
Incoming Mains Power: (1) 120VAC (+/-10%) 1 Phase, 2 Wire, 60Hz / 8 Amps. Requires an earth ground connection.  
Incoming Mains Power and Data Location: ON TOP OF THE SCOREBOARD.  
MAX Current Draw: 5.6 Amps



17" LED Digits for TIME  
14" LED Digits for SCORE  
10" LED Digits for PERIOD

5" Electronic Team Names at 8 CH

6" White Vinyl Lettering for PERIOD

- All LED digits include the following:
- \* Shatter Resistant Lexan cover
  - \* Conformal coating to protect from environmental conditions
  - \* Surface Mount Technology LEDs allowing for wider viewing angle

REVISION		DESCRIPTION		AUTHOR	DATE
A		INITIAL DESIGN		OES	8/5/2021

		<div><div></div><div>4056 Blakie Road, London, ON, N6L 1P7 Tel: (519) 652-5833 Fax: (519) 652-3795 Email: oes@oes-inc.com</div></div>				
		DESCRIPTION OES ELECTRONIC SCOREBOARDS M6014AICE				
NOTICE TO PERSON RECEIVING THIS DRAWING AND TECHNICAL INFORMATION:		SIZE		FILENAME	INIT DRAWING DATE	REV
OES, INC. CLAIMS PROPERTY RIGHTS TO THE MATERIAL DISCLOSED HEREIN. THIS DRAWING INCLUDES UNPUBLISHED PROPRIETARY MATERIAL DEVELOPED BY OES, INC. AND AS SUCH IS NOT TO BE COPIED, REPRODUCED OR USED IN ANY WAY WITHOUT PRIOR WRITTEN AUTHORIZATION FROM OES, INC.		A		M6014AICE	8/5/21	A
TOLERANCE INFORMATION Dimensions are in Inches		THIRD ANGLE PROJECTIONS		USAGE		
Fractional ± 1/16" Two Place Decimals ± 0.02" Three Place Decimals ± 0.005" Four Place Decimals ± 0.0005" Angular ± 30'				USE FOR REVIEW		
		SCALE	NTS	DRAWN BY	CGTHOMPSON	PAGE 1 OF 1