



**Scoreboard Specifications**

Overall size: 12' (W) x 4'-11" (H) x 6" (D)  
Approximate Weight: 331 lbs  
Incoming Mains Power: (1x) 120VAC (+/-10%) 1 Phase, 2 Wire, 60Hz / 15 Amps. Requires an earth ground connection.  
Incoming Mains Power and Data Location: Behind the BALL ON Digit.

22" LED Digits for TIME  
17" LED Digits for SCORE  
14" LED Digits for BALL ON, QTR, DOWN, TO GO

7" White Vinyl Lettering for HOME, GUEST  
6" White Vinyl Lettering for DOWN, TO GO, BALL ON, QTR

- All LED digits include the following:
- \* Shatter Resistant Lexan cover
  - \* Conformal coating to protect from environmental conditions
  - \* Surface Mount Technology LEDs allowing for wider viewing angle

REVISION	DESCRIPTION	AUTHOR	DATE
A	INITIAL DESIGN	OES	2/12/2020
NOTICE TO PERSON RECEIVING THIS DRAWING AND TECHNICAL INFORMATION:		OES INC. CLAIMS PROPERTY RIGHTS TO THE MATERIAL DISCLOSED HEREIN. THIS DRAWING INCLUDES UNPUBLISHED PROPRIETARY MATERIAL DEVELOPED BY OES, INC. AND AS SUCH IS NOT TO BE COPIED, REPRODUCED OR USED IN ANY WAY WITHOUT PRIOR WRITTEN AUTHORIZATION FROM OES, INC.	
TOLERANCE INFORMATION Dimensions are in Inches		THIRD ANGLE PROJECTIONS	
Fractional ± 1/16" Two Place Decimals ± 0.02" Three Place Decimals ± 0.005" Four Place Decimals ± 0.0005" Angular ± 30°		OES ELECTRONIC SCOREBOARDS M8012AxCV	
SIZE A		FILENAME M8012AUXV	INIT DRAWING DATE 2/12/20
SCALE NTS		USAGE USE FOR REVIEW	REV A
DRAWN BY CGTHOMPSON		PAGE 1 OF 1	