



Scoreboard Specifications

Overall size: 12' (W) x 4'-11 (H) x 6" (D)
Approximate Weight: 294 lbs
Incoming Mains Power: (1x) 120VAC (+/-10%) 1 Phase, 2 Wire, 60Hz / 8 Amps. Requires an earth ground connection.
Incoming Mains Power and Data Location: Behind the HALF Digit(s).

- 17" LED Digits for TIME, SCORE
- 14" LED Digits for HALF
- 12" White Vinyl Lettering for HOME, GUEST
- 7" White Vinyl Lettering for HALF

- All LED digits include the following:
- * Shatter Resistant Lexan cover
 - * Conformal coating to protect from environmental conditions
 - * Surface Mount Technology LEDs allowing for wider viewing angle
 - *

REVISION		DESCRIPTION		AUTHOR	DATE
A		INITIAL DESIGN		OES	12/20/2021

		<div><div></div><div>4056 Blakie Road, London, ON, N6L 1P7 Tel: (519) 652-5833 Fax: (519) 652-3795 Email: oes@oes-inc.com</div></div>	
<div>NOTICE TO PERSON RECEIVING THIS DRAWING AND TECHNICAL INFORMATION:</div> <div>OES INC. CLAIMS PROPERTY RIGHTS TO THE MATERIAL DISCLOSED HEREIN. THIS DRAWING INCLUDES UNPUBLISHED PROPRIETARY MATERIAL DEVELOPED BY OES, INC. AND AS SUCH IS NOT TO BE COPIED, REPRODUCED OR USED IN ANY WAY WITHOUT PRIOR WRITTEN AUTHORIZATION FROM OES, INC.</div>		<div>DESCRIPTION</div> <div>OES ELECTRONIC SCOREBOARDS</div> <div>M3012AxCV</div>	
<div>TOLERANCE INFORMATION</div> <div>Dimensions are in Inches</div> <div>Fractional ± 1/16" Two Place Decimals ± 0.02" Three Place Decimals ± 0.005" Four Place Decimals ± 0.0005" Angular ± 30'</div>		<div><div>SIZE</div><div>FILENAME M3012AUXV</div><div>INIT DRAWING DATE 12/20/21</div><div>REV A</div></div> <div><div>B</div><div>USAGE</div><div>USE FOR REVIEW</div></div>	
<div>THIRD ANGLE PROJECTIONS</div> <div></div>		<div>SCALE</div> <div>NTS</div> <div>DRAWN BY</div> <div>RDONALD</div> <div>PAGE</div> <div>1 OF 1</div>	